Notice of Allowability	Application No.	Applicant(s)
	09/878,768	PAAVOLA ET AL.
	Examiner	Art Unit
	Timothy J. Henn	2612
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>response filed 7/20/05</u> .		
2. The allowed claim(s) is/are 1-21 and 23-30.		
<ul> <li>3.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a)  All b)  Some* c) None of the:</li> <li>1.  Certified copies of the priority documents have been received.</li> </ul>		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5 🖂 Notice of Informal P	atent Application (PTO-152)
Notice of Neterences Orice (1 10-302)      Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	(PTO-413),
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Dat (8), 7. ☐ Examiner's Amendn	e nent/Comment
Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit		ent of Reasons for Allowance
of Biological Material	_	
	9.	

Application/Control Number: 09/878,768 Page 2

Art Unit: 2612

## **DETAILED ACTION**

## Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 20 July 2005 has been entered.

## Response to Arguments

2. Applicant's arguments, see response, filed 20 July 2005, with respect to the claims have been fully considered and are persuasive. The rejection of the claims has been withdrawn.

# Allowable Subject Matter

Claims 1-21 and 23-31 are allowed.

The following is a statement of reasons for the indication of allowable subject matter: [claims 1-16, 18-20 and 24-29]

Regarding claims -16, 18-20 and 24-29, the prior art does not teach or fairly suggest a CCD mounting for a color line camera which is attached to a prism housing comprising: fastening elements having a length substantially larger than the length of the CCD cell and extending from a housing margin on one side of a light exit surface of a color splitting prism to another housing margin on the opposite side of the light exit

Application/Control Number: 09/878,768 Page 3

Art Unit: 2612

surface, a first glue joint between the CCD cell and its fastening element, the first glue joint extending along a rear surface and being of a thermally conductive glue, and a third glue joint abutting the fastening element and the margins of the housing, the third glue joint being of a thermally insulating glue as claimed.

## [claims 17, 21, 30 and 31]

In regard to claims 17, 21, 30 and 31, the prior art does not teach or fairly suggest a method for mounting CCD cells to a color splitting prism comprising the steps of creating a thermally conductive surface contact between a CCD cell and a fastening element which is essentially larger than the CCD cell by joining them together with a first glue, aligning the fastening element with the CCD cell at the correct position at the prism exit surface, gluing the fasting element, while maintaing the obtained alignment of the CCD cell wherein the method further comprises the steps of: creating a thermally conductive surface contact between heat distribution pieces and the ends of the fastening element by joining them together with a second glue; and attaching the heat distribution pieces to the prism housing in a heat-insulating fashion and in order to make the structure rigid.

4. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Timothy J. Henn whose telephone number is (571) 272-7310. The examiner can normally be reached on M-F 9:00 AM - 6:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ngoc Yen Vu can be reached on (571) 272-7320. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

TJH 11/12/05

PRIMARY EXAMINER